Foreword

This report has been primarily prepared by Martin von Lampe, Agricultural Policy Analyst in the OECD Trade and Agriculture Directorate, but it also contains material provided by other colleagues within and outside this Organisation. This in particular include sections on policy developments (Garry Smith), on science and innovation (Alexandre Bartsev and Iain Gillespie, OECD Directorate for Science, Technology and Innovation), on performance with respect to environmental and other criteria (Paolo Frankl, International Energy Agency, in co-operation with the United Nations Environment Programme and the European Environment Agency), and on environmental effects of agricultural land allocation (Jussi Lankoski). Claude Nenert provided substantial statistical support. Many other colleagues – within the OECD, IEA and externally – have contributed by providing comments on earlier drafts or by editorial, statistical and secretarial assistance.

This work was undertaken with the financial assistance of the governments of the Netherlands and Sweden

Notes

- 1. IEA: World Energy Outlook (WEO) 2006 and 2007. All these numbers are projected to keep growing, although projected growth rates have been revised downwards in the 2007 edition of the WEO. As the 2007 edition does not provide transport-related emissions specifically, these were estimated using the emissions related to oil use from the 2007 WEO and the share of transport related emission in total oil use related emissions provided in the 2006 edition of the WEO.
- 2. Total biofuel production has a larger effect: Taking into account all biofuels produced (as opposed to those generated by future support) in North America and the EU (as we look at support in these countries only we exclude Brazilian ethanol here) during the 2013-2017 average, the reduction in GHG emissions would range from 0.9% to 1.8% of their total transport related GHG emissions projected for 2015. Not all of these reductions are caused by support over the decade to come, but result partly from support provided in the past. The values in this footnote are given here for transparency reasons but should not be read in terms of efficiency of support.
- 3. *Source: Global Subsidies Initiative* (2007). Updated on the basis of data contained in Koplow (2007).
- 4. The data provided in the GSI sources include an estimate of the shares of total support vary with biofuel quantities the projections referred to here extrapolate this part using the projected biofuel quantities as published in OECD (2008a).
- 5. This extrapolation assumes that current forms of biofuel support remain maintained over the decade to come as do the market projections presented in OECD (2008a) underlying the present analysis. It should be noted here that with technological advances in both existing and future biofuel chains the required support per unit of output might decline. While lower support would likely reduce biofuel output as well, the per unit support costs of biofuel-related GHG savings and, for that matter, achievement of other policy objectives might be reduced as well.
- 6. <u>www.co2prices.eu</u> accessed June 2008.
- 7. If the total biofuel production in those three regions were considered, the above numbers would suggest costs for taxpayers and consumers of between USD 430 and 840 per ton of CO2-equivalent avoided. These values are given here for transparency reasons but should not be read in terms of efficiency of support.
- 8. This depends on the fate of the abandoned land and may therefore not be true in all cases.
- 9. Concawe (2006).
- 10. Again, total biofuel use in these regions obviously has a larger fuel replacement effect, equivalent to about 1.5% to 2% of medium-term diesel use and 1% to 2.4% of gasoline use in the countries considered.

- 11. Taking total biofuel use into account, these replacement costs would be lower at USD 0.90 to 2.30 per litre of gasoline equivalent and USD 0.75 to 1.00 per litre of diesel equivalent on average. These values are given here for transparency reasons but should not be read in terms of efficiency of support. Due to the various cross-country effects the different support measures have, a calculation of replacement costs for individual countries is not possible in a meaningful way based on this analysis.
- 12. USD 0.40 per litre of gasoline and USD 0.60 per litre of diesel if the total biofuel use is considered. These values are given here for transparency reasons but should not be read in terms of efficiency of support.
- 13. See, for example, OECD (2002).
- 14. For a discussion in developments in the market structure of bioenergy industries see van Vaals, M. (2007): *Market Structures and International Investments in Bioenergy Markets*. Paper presented at the OECD Workshop on Bioenergy Policy Analysis. Umea, Sweden.
- 15. See the discussion on biofuel technologies and equipments in Chapter 3 of this report.
- 16. For information about biofuel programmes in different developing countries see FAO (2007): Recent Trends in the Law and Policy of Bioenergy Production, Promotion and Use. FAO Legal Papers Online #69. Rome: September 2007. Accessed in April 2008 from <u>http://www.fao.org/legal/prs-ol/years/2007/list07.htm</u>.

References

References to the section on Biofuel Performance with Respect to Environmental and Other Criteria

- Baitz, M. et al. (2004), Comparative life cycle assessment for SunDiesel (Choren Process) and conventional diesel fuel, Executive Summary, September.
- Beer, T. et al. (2007), The greenhouse and air quality emissions of biodiesel blends in Australia, CSIRO.
- Bringezu, S.; Ramesohl, S.; Arnold, K.; Fischedick, M.; von Geibler, J.; Liedtke, C. and Schütz, H. (2007), *Towards a sustainable biomass strategy*. A discussion paper of the Wuppertal Institute. Wuppertal papers No. 163 June 2007. www.wupperinst.org
- Chalmers (2008), GBEP TF GHG meeting, Washington 6-7 March 2008. GBEP 2nd TF Meeting on GHG Methodologies, <u>www.globalbioenergy.org/1440.html</u>, retrieved 10.03.08
- Chandel, A.K. et al. (2007), Economics and environmental impact of bioethanol production technologies: an appraisal, Biotechnology and Molecular Biology Review, Vol. 2 (1), pp. 014-032.
- Choudhury, R. et al. (2002), GM well to wheel analysis of energy use and greenhouse gas emissions of advanced fuel/vehicle systems, as European study, Ottobrunn, September.
- Da Costa, R.E. and Silva Lora, E.E. (year not available), *The energy balance in the production of* palm oil biodiesel two case studies: Brazil and Colombia.
- De Castro, J.F.M. (2007), Biofuels An overview, final report for DGIS/DMW/IB, May.
- De la Rua et al. (2007), Life cycle environmental benefits of biodiesel production and use in Spain, 14th European Biomass Conference, Paris, France.
- De Oliveira, M. E. *et al.* (2005). Ethanol as fuel: Energy, carbon dioxide balances, and ecological footprint, BioScience 593, Vol.55 No. 7, July 2005.
- Delucchi, M.A. (2006), *Lifecycle analysis of biofuels*, draft manuscript, ITS University of California, May.
- Donner, S. D. and Kucharik, C. J. (2008), Corn-based ethanol production compromises goal of reducing nitrogen expert by the Mississippi river. Proceedings of the National Academy of Sciences, vol. 105: 4513-4518.
- Doornbosch R. and R. Steenblik (2007), *Biofuels: Is the cure worse than the disease?* OECD Round Table on Sustainable Development, Paris, 11-12 September 2007, [SG/SD/RT(2007)3/REV1], Organisation for Economic Development and Cooperation (OECD), Paris.
- DVL/NABU (2007), Bioenergie? Aber natürlich! Nachwachsende Rohstoffe uas der Sicht des Umwelt- und Naturschutzes. Heft 12 der DVL-Schriftenreihe, Landschaft als Lebensraum. Deutscher Verband für Landespflege; Fürth, Germany; www.lpv.de.
- Dworak, T.; Eppler, U.; Petersen, J.-E.; Schlegel, S. & Laaser, C. (2007), WFD and Bioenergy production at the EU Level A review of the possible impact of biomass production from

agriculture on water, background paper for conference on WFD meets CAP — Looking for a consistent approach; Paris, September 2007. Ecologic, Berlin; http://www.ecologic.de/.

- EC (2008), Commission of the European Communities, proposal for a Directive of the European Parliament and of the Council on the promotion of the use of energy from renewable sources, Brussels, 23 January. http://ec.europa.eu/energy/climate actions/doc/2008 res directive en.pdf
- Ecobilan (2002), Bilans énergétiques et gaz à effet de serre des filières de production de biocarburants, technical report, final version, November.
- Ecobilan (2006), Bilan énergétique et émissions de GES des carburants et biocarburants conventionnels – Convergences et divergences entre les principales études reconnues (citées), Paris.
- Edwards et al. (2007), Well to wheels analysis of future automotive fuels and powertrains in the *European context*, JRC-Concawe-Eucar report, March.
- EEA (2006), *How much bioenergy can Europe produce without harming the environment?* EEA Report No. 7/2006. European Environment Agency (EEA); Copenhagen.
- EEA (2007), Estimating the environmentally compatible bio-energy potential from agriculture, technical report No. 12/2007, European Environment Agency (EEA), Copenhagen.
- Elsayed, M. A. et al. (2003), Carbon and energy balances for a range of biofuel options, Sheffield Hallam University.
- FAO (2003), *World Agriculture: Toward 2015/30 An FAO Perspective*, J. Bruinsma, Ed., Food and Agriculture Organization of the U.N., Rome.
- FAO (2005), *Global Forest Resources Assessment 2005- 15 Key Findings*, Food and Agriculture Organisation of the United Nations; Rome. URL:http://www.fao.org/forestry/foris/data/fra2005/kf/common/GlobalForestA4-ENsmall.pdf
- Fargione, F.; Hill, J.; Tilman, D.; Polasky, S. and Hawthorne, P. (2008), Land clearing and the biofuel carbon debt. *Science* 319: 1235 – 1238.
- Farrell, A. (2008), "Biofuels and greenhouse gases: A view from California".
- Farrell, A.E. et al. (2006), Ethanol can contribute to energy and environmental goals, Science, Vol. 311, January 2006.
- Fehrenbach (2008), GBEP TF GHG meeting, Washington 6-7 March 2008. GBEP 2nd TF Meeting on GHG Methodologies, <u>www.globalbioenergy.org/1440.html</u>, retrieved 10.03.08
- Fu, G. Z. et al. (2003), Life cycle assessment of bioethanol derived from cellulose, International Journal of LCA, Vol.8 (3), pp. 137-141.
- GBEP (2007). Hunt et al., A review of the current state of Bioenergy development in G8+5 countries, FAO/GBEP, Rome.
- Global Nature Fund (2007), Bedrohter See des Jahres 2007: Pantanal Brasilien, Paraguay und Bolivien. Bedrohter See des Jahres 2008: Mahakam-Feuchtgebiet, Indonesien. URL: http://www.globalnature.org
- Gnansounou, E. and Dauriat, A. (2004), *Energy balance of bioethanol : A synthesis*, Lasen, Ecole Polytechnique Fédérale de Lausanne.
- Gnansounou, E. and Dauriat, A. (2004), *Etude comparative de carburants par analyse de leur cycle de vie*. Final report, Lasen, Ecole Polytechnique Fédérale de Lausanne, March.
- Groode, T. A. and Heywood, J. B. (2007), *Ethanol: A look ahead*, MIT publication, Cambridge, MA.

- Gärtner, S. O. and Reinhardt, G. (2003), Life cycle assessment of biodiesel: Update and new aspects, Heidelberg.
- Gärtner, S. O. et al. (2006), An assessment of energy and greenhouse gases of NExBTL, final report, Heidelberg, June.
- Hodson (2008) GBEP TF GHG meeting, Washington 6-7 March 2008, GBEP 2nd TF Meeting on GHG Methodologies, <u>www.globalbioenergy.org/1440.html</u>, retrieved 10.03.08
- IEA (2006), *World Energy Outlook 2006*, International Energy Agency (IEA), OECD Publications, Paris.
- IEA Bioenergy (2007), Potential contribution of bioenergy to the world's future energy demand.
- IPCC (2007a), Fourth Assessment Report Climate Change 2007: Synthesis Report Summary for policy makers. http://www.mnp.nl/ipcc/pages_media/Summary-for-policy-makers.html
- IPCC (2007b), Climate Change Mitigation: Contribution of Working Group III to the Fourth Assessment Report, http://www.mnp.nl/ipcc/pages_media/AR4-chapters.html
- ISO 14040:2006.
- ISO 14044: 2006.
- Jordan, N.; Boody, G.; Broussard, W.; Glover, J.D.; Keeney, D.; McGown, B.H.; McIsaac, G.; Muller, M.; Murray, H.; Neal, J.; Pansing, C.; Turenr, R.E.; Warner, K. and Wyse, D. (2007), Sustainable development of the agricultural bio-economy, Science 316: 1570-1571
- Junglbuth, N. et al. (2007), Life cycle assessment of BTL-fuel production. Deliverable 5.2.2 and 5.2.10 of the EU integrated project Renew, July 2007.
- Kadam, K.L. (2000), Environmental life cycle implications of using bagasse-derived ethanol as a gasoline Oxygenate in Mumbai (Bombay), NREL Technical report.
- Kim, S. and Dale, B.E. (2005), Life cycle assessment of various cropping systems utilized for producing biofuels: Bioethanol and biodiesel. Biomass and Bioenergy, 29 (2005), 426-439.
- Kindermann, G.E.; Obersteiner, M.; Rametsteiner, E. and McCallum, I. (2006), Predicting the deforestation-trend under different carbon price, Carbon Balance and Management Vol 1-15: 1-17.
- Kägi, T. *et al.* (2007), *Ökobilanz von Energieprodukten*: Bewertung der landwirtschaftlischen Biomasse-Produktion, ART.
- Larson, E. D. (2005), A review of LCA studies on liquid biofuels systems for the transport sector.
- Laurance, W.F. (2007), Switch to Corn Promotes Amazon Deforestation, Science, Vol. 318: 1721.
- Lechón, Y. *et al.* (2005), Análisis *del ciclo de vida de combustibles alternativos para el transporte*. Fase I. Análisis de ciclo de vida comparativo del etanol de cereales y de la gasolina. Energia y cambio climático, CIEMAT.
- Lechón, Y. *et al.* (2006), *Análisis del ciclo de vida de combustibles alternativos para el transporte.* Fase II. Análisis de ciclo de vida comparativo de biodiesel y diesel. Energia y cambio climático, CIEMAT.
- Lechón, Y. et al. (2007), Life cycle environmental aspects of biofuel goals in Spain. Scenario 2010, 15th European Biomass Conference and Exhibition, 7-11 May, Berlin.
- Macedo (2008) GBEP 2nd TF Meeting on GHG Methodologies, www.globalbioenergy.org/1440.html, retrieved 10.03.08
- Macedo, I. et al. (2004), Assessment of greenhouse gas emissions in the production and use of fuel ethanol in Brazil, São Paulo, April.

- Manyele, S.V. (2007), *Lifecycle assessment of biofuel production from wood pyrolysis technology*, Educational Research and Review, Vol.2(6), pp.141-150, June 2007.
- Marshall, L. (2007), Thirst for Corn: What 2007 Plantings Could Mean for the Environment, WRI Policy Note – Energy: Biofuels No.2. World Resources Institute, Washington. www.wri.org/policynotes
- Morris (2008) D. Morris, "*Ethanol and Land Use Changes*", Policy brief February 2008, <u>www.newrules.org</u>, retrieved 1 March 2008
- Morton, D.C.; DeFries, R.S.; Shimabukuro, Y.E.; Anderson, L.O.; Arai, E.; del Bon Espirito Santo, F.; Freitas, R. and Morisette, J. (2006), *Cropland expansion changes deforestation dynamics in the southern Brazilian Amazon*. Proceedings of the National Academy of Sciences of the U.S.A Vol. 103: 14637-14641.
- Nguyen, T.L.T. et al. (2007), Fossil energy savings and GHG mitigation potentials of ethanol as a gasoline substitute in Thailand, Energy Policy 35 (2007) 5195-5205.
- Nieder, A. and Narodoslawsky, M. (2004), *Life cycle assessment study of biodiesel from tallow and used vegetable oil*, Graz.
- O'Connell, D., B. Keating and M. Glover (2005), *Sustainability Guide for Bioenergy. A Scoping Study.* Rural Industries Research and Development Corporation Publication No. 05/190. Australia. http://www.rirdc.gov.au
- OECD (2008), OECD Environmental Outlook to 2030, Organisation for Economic Development and Cooperation (OECD), Paris.
- Ometto, A.R. et al. (2004), Energy life cycle assessment of fuel ethanol in Brazil, in: Ortega, E. and Ulgiati, S. (editors): Proceedings of IV Biennial International Workshop "Advances in Energy Studies", Unicamp, Campinas, SP. Brazil. June 16-19, 2004. Pages 389-399.
- Osterburg, B. & H. Nitsch (2007), Energiepflanzenanbau und Wasserschutz Zwischenergebnisse von Studie und Befragung. Presentation at UBA Workshop on "Der Einsatz nachwachsender Rohstoffe zur Energiegewinnung – neue Probleme für die Gewässer?", Berlin, 10 December 2007: http://www.umweltbundesamt.de/wasser-undgewaesserschutz/index.htm
- Pascual, L.M. and Tan, R.R. (2004), Comparative life cycle assessment of coconut biodiesel and conventional biodiesel for Philippine automotive transportation and industrial boiler application, De La Salle University, Manila.
- Pimentel, D. (2003), Ethanol fuels: Energy balance, economics and environmental impacts are negative, Natural Resources Research, Vol.12 (2), June 2003.
- Pimentel, D. and Lal, R. (2007), Letter to Science published on 17 August 2007. Science 317: 897.
- Pimentel, D. and Patzek, T. W. (2005), Ethanol production using corn, switchgrass and wood; Biodiesel production using soybean and sunflower. Natural Resources Research, Vol.14, No.1, March 2005
- Puppán, D. (2001), Environmental evaluation of biofuels, Periodica Polytechnica Ser. Soc. Man. Sci. Vol. 10, No 1, pp. 95-116.
- Quirin, M. et al. (2004), CO₂ mitigation through biofuels in the transport sector ,Status and perspectives, Heidelberg.
- Ramjeavon, T. (2004), *Life cycle assessment of cane sugar on the island of Mauritius*, International Journal of LCA, Vol.9 (4), pp. 254-260.
- Reinach, F. (2008), *Status and prospects of ethanol production in Brazil*, WIREC 2008 Conference, Washington 3-6 March, 2008

- Reinhardt, G. et al. (2006), Ökobilanzen zu BTL: Eine ökologische Einschätzung, Heidelberg, May.
- Reinhardt, G. et al. (2007), Screening life cycle assessment of Jatropha Biodiesel, Final report, Heidelberg, December.
- Rettenmaier, N. et al. (2004) Energie-und Treibhausgasbilanzen von Biokraftstoffen, IFEU, Heidelberg.
- Righelato, R. and Spracklen, V. (2007), Carbon mitigation by biofuels or by saving and restoring forests? Science 317: 902.
- S&T Consultants (2003), The addition of ethanol from wheat to GHGenius, Delta BC, January.
- S&T Consultants (2005), Ethanol GHG emissions using GHGenius An Update, Delta BC, March.
- S&T Consultants (2006), Sensitivity analysis of GHG emissions from biofuels in Canada, Delta BC, August.
- Sarlos, G. *et al.* (2002), Étude comparative de carburants par analyse de leur cycle de vie, final report, Lasen, Ecole Polytechnique Fédérale de Lausanne, December.
- Scharlemann, J.P.W. and Laurance, W.F. (2008), How green are biofuels? Science 319: 43-44.
- Schmidt, J.H. (2007). Life cycle assessment of rapeseed oil and palm oil, Ph.D. thesis, Part 3: Life cycle inventory of rapeseed oil and palm oil, Aalborg University.
- Searchinger, T.; Heimlich, R.; Houghton, R.A.; Dong, F.; Elobeid, A.; Fabiosa, J.; Tokgoz, S.; Hayes, D. and Yu, T. (2008), Use of U.S. croplands for biofuels increases greenhouse gases through emissions from land use change. Science 319: 1238 – 1240.
- Senn, T. (2003), Die Produktion von Bioethanol als Treibstoff unter dem Aspekt der Energie-, Kosten-und Oekobilanz, University of Hohenheim.
- SenterNovem (2005), Participative LCA on biofuels, rapport 2 GAVE-05.08
- Shapouri. H. et al. (2002), The energy balance of corn ethanol: An update, USDA report, July.
- Sheehan (2002), What is a life cycle assessment? Powerpoint presentation, NREL, March.
- Sheehan et al. (1998), Life cycle inventory of biodiesel and petroleum diesel for use in an urban bus, NREL.
- Smeets, E. *et al.* (2006), *Sustainability of Brazilian bio-ethanol*, University of Utrecht, Copernicus Institute, and State University of Campinas, August.
- IPCC, 2007. *The physical science basis of climate change*, Intergovernmental Panel on Climate Change, 4th Assessment Report, Working Group I. www.ipcc.ch
- Stern, N. (2006), Stern Review, The Economics of Climate Change, London, UK
- Tilman, D., J. Hill, and C. Lehman (2006), *Carbon-Negative Biofuels from Low-Input High-Diversity Grassland Biomass*, Science 314 (5805): 8 December 2006.
- Ulgiati, S. (2001), A comprehensive energy and economic assessment of biofuels: When "green" is not enough, Critical Reviews in Plant Sciences, Vol.20 (1): 71-106 (2001).
- UN-Energy (2007). Sustainable Bioenergy: A Framework for Decision Makers. Inter-body working group of the United Nations, Rome.
- UNEP (2006), One Planet Many People. Atlas of our changing environment. Thematic Slides. United Nations Environment Programme; Nairobi, Kenya.
- Unnasch, S. and Pont, J. (2007), Full fuel cycle assessment well to wheels energy inputs, emissions, and water impacts, Cupertino, CA, February.

URL: http://www.na.unep.net/OnePlanetManyPeople/powerpoints.html

- Veeraraghavan, S. and Riera-Palou, X. (2006), *Well-to-wheel performance of Iogen Lignocellulosic ethanol*, Shell Global Solutions International.
- von Blottnitz, H. and Curran, M. A. (2006), *A review of assessments conducted on bio-ethanol as a transportation fuel from a net energy, greenhouse gas, and environmental life-cycle perspective*, article accepted for publication in the Journal of Cleaner Production.
- von Blottnitz, H. and Curran, M.A. (2007), A review of assessments conducted on bio-ethanol as a transportation fuel from a net energy, greenhouse gas, and environmental life-cycle perspective, Journal of Cleaner Production Vol. 15: 607-619.
- Wang M. and Haq Z. (2008), Letter to Science in response to Feb 7, 2008 Sciencexpress article.
- Wang et al (2007), M. Wang, M. We, H. Huo, Life-cycle energy and greenhouse gas emission impacts of different corn ethanol plant types, Environmental Research Letters 2 (2007).
- Wheatley, J. (2008), *Brazil launches crackdown against Amazon's illegal loggers*, article published in the Financial Times, 25 February 2008.
- Wissenschaftlicher Beirat Agrarpolitik (2007), Nutzung von Biomasse zur Energiegewinnung Empfehlungen an die Politik. Gutachten vom November 2007, Berlin.
- Zah, R. *et al.* (2007), Ökobilanz von Energieprodukten: Ökologische Bewertung von Biotreibstoffen, EMPA.

Other references

- EBB (2008), *Statistics The EU Biodiesel Industry*, European Biodiesel Board, accessed from http://www.ebb-eu.org/stats.php in February 2008.
- Dornburg, V., Faaij, A. and Wicket, B. (2007), Developments in Bioenergy Production across the World - Electricity, Heat and Second Generation Biofuels. Consultancy report and database provided to the OECD Secretariat [TAD/CA/APM/WP(2007)23].
- FAO (2007), Recent Trends in the Law and Policy of Bioenergy Production, Promotion and Use, FAO Legal Papers Online #69. Rome: September 2007. Accessed in April 2008 from http://www.fao.org/legal/prs-ol/years/2007/list07.htm.
- F.O.Licht's (2007), Data kindly directly provided by F.O.Licht's to the OECD Secretariat, 2007.
- F.O.Licht's (2008), World Ethanol & Biofuels Report, Vol. 6 No. 10 (January 29, 2008).
- F.O.Licht's (various issues), World Ethanol & Biofuels Report.
- Global Subsidies Initiative (2007), *Biofuels at what costs?* Government support for ethanol and biodiesel in selected OECD countries. Accessed in April 2008 from: http://www.globalsubsidies.org/IMG/pdf/biofuel synthesis report 26 9 07 master 2 .pdf.
- GTZ (2007), International Fuel Prices 2007,5th edition. Eschborn/Germany, April 2007.
- IEA (2006), World Energy Outlook 2006, Paris: International Energy Agency.
- IEA (2007), Energy Balances Vol. 2007 release 01. Accessed from http://caliban.sourceoecd.org/vl=1876982/cl=21/nw=1/rpsv/statistic/s10_about.htm?jnlissn=1 6834240 in December 2007).
- Koizumi, Tatsuji and Ohga, Keiji (2007), Biofuels Policies in Asian Countries: Impact of the Expanded Biofuels Programs on World Agricultural Markets, Journal of Agricultural & Food Industrial Organization, Vol. 5 (2007) Article 8

- Koplow (2007), Biofuels At What Cost? Government Support for Ethanol and Biodiesel in the United States - 2007 Update. Accessed in April 2008 from http://www.globalsubsidies.org/files/assets/Brochure - US Update.pdf.
- Lankoski, J., Ollikainen M. and Uusitalo, P. (2006), *No-till technology: benefits to farmers and the environment?* Theoretical analysis and application to Finnish agriculture, European Review of Agricultural Economics 33: 193-221.
- Lehtonen, H., Kuussaari, M., Hyvönen, T. and Lankoski, J. (2008). Use of wildlife habitat indices in agricultural sector modelling. (unpublished manuscript).
- LMC (2007a), LMC Biodiesel Data, data provided by LMC International Ltd., 2007.
- LMC (2007b), LMC Ethanol Data, data provided by LMC International Ltd., 2007.
- MAFF (2008), Biomass Nippon Strategy For Further Promotion of Domestic Biofuels Production, presentation provided by the Japan Ministry of Agriculture, Forestry and Fisheries to the OECD Secretariat, Feb. 2008.
- Mäkinen, T., Soimakallio, S., Paappanen, T., Pahkala, K. and Mikkola, M. (2006), Liikenteen biopolttoaineiden ja peltoenergian kasvihuonekaasutaseet ja uudet liiketoimintakonseptit. VTT Tiedotteita 2357. Espoo, Finland. (In Finnish with English abstract: Greenhouse gas balances and new business opportunities for biomass-based transportation fuels and agribiomass in Finland).
- OECD (2002), Agricultural Policies in OECD Countries A Politive Reform Agenda, Organisation for Economic Co-operation and Development, Paris.
- OECD (2006), Agricultural Market Impacts of Future Growth in the Production of Biofuels, Organisation for Economic Co-operation and Development, Paris, unclassified document [AGR/CA/APM(2005)24/FINAL], available at http://www.oecd.org/dataoecd/58/62/36074135.pdf.
- OECD (2008a), OECD-FAO Agricultural Outlook 2008-2017, Organisation for Economic Cooperation and Development, Paris / UN Food and Agriculture Organization, Rome.
- OECD (2008b), Multiple environmental effects of bioenergy and biofuels from agriculture: development of SAPIM applications, [COM/TAD/CA/ENV/EPOC(2008)10].
- Pons, E. (2007), A review of policy measures supporting production and use of bioenergy, Consultancy report provided to OECD Secretariat <u>http://www.oecd.org/dataoecd/37/43/41037609.pdf</u>
- Steenblik, R. (2007), Biofuels at what cost? Government support for ethanol and biodiesel in selected OECD countries, Global Subsidies Initiative of the International Institute for Sustainable Development, Geneva. Accessed in April 2008 from: http://www.globalsubsidies.org/files/assets/oecdbiofuels.pdf
- USDA/FAS (2007), GAIN Report Number BR7011. http://www.fas.usda.gov/gainfiles/200707/146291791.pdf
- Von Braun, Joachim (2007), The World Food Situation: New Driving Forces and Required Actions, IFPRI's Biannual Overview of the World Food Situation. Washington, D.C. http://www.ifpri.cgiar.org/pubs/agm07/jvbagm2007.asp.